



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/699,003	10/26/2000	M. Rigdon Lentz	LEN 101 CIP CON	7721

23579 7590 03/23/2005

PATREA L. PABST
PABST PATENT GROUP LLP
400 COLONY SQUARE
SUITE 1200
ATLANTA, GA 30361

EXAMINER

BIANCO, PATRICIA

ART UNIT

PAPER NUMBER

3762

DATE MAILED: 03/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

SN

Office Action Summary	Application No. 09/699,003	Applicant(s) LENTZ, M. RIGDON	
	Examiner Patricia M Bianco	Art Unit 3762	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 February 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,8-10,12 and 16-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,8-10,12 and 16-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>2/14/05</u> . | 6) <input checked="" type="checkbox"/> Other: <u>Detailed Action</u> . |

Art Unit: 3762

DETAILED ACTION

After Final Practice

The finality of the previous Office action is hereby withdrawn and the after final amendment filed on 2/4/05 has been entered.

Response to Arguments

Applicant provided a declaration by the inventor and arguments that asserts the Selinski et al. article (Journal of Immunology, 1998) reference is not prior art under 35 USC 103(a) based on the filing date. Upon discovering that the article was published in May 1998 and received by the USPTO on 5/28/98, the reference does not have priority over the instant application (having an effective filing date of 5/22/98) and therefore does not constitute prior art. Accordingly, the rejections under 35 USC § 103(a) have been withdrawn.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-6 and 8-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential steps, such omission amounting to a gap between the steps. See

Art Unit: 3762

MPEP § 2172.01. The omitted steps are: the preamble of the claim sets forth a method for inducing an immune response against transformed, infected or diseased tissue which inherently implies that this response is *in a patient*, however, none of the steps further recited occur in vivo. The removal step until the transformed, infected, or diseased tissue is "reduced in size or is inflamed or other positive indication is observed" omits the essential step of returning that blood, plasma, or one or more components being returned to a patient would be remedial.

Claims 2-6 and 8-10 are rejected insofar as they are dependent from claim 1.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 12, 16, 17 & 20 are rejected under 35 U.S.C. 102(e) as being anticipated by Nakatani et al. 5,919,898 (IDS). Nakatani et al. disclose an adsorbent column (6) having an inlet (2) and an outlet (1) for allowing body fluid, such as blood or plasma, to pass through the adsorbent material (7) that is used for extracorporeal circulation treatment of a variety of diseases having a high concentration of interleukins (see col. 10, lines 16-34 for examples). Since Nakatani teaches that the column is used for

Art Unit: 3762

extracorporeal circulation treatment, it is inherent that the inlet and outlet would be connected to tubing and a pump to pass the blood or plasma into the column and return the treated blood to the patient. The column is used to remove at least one cytokine receptor molecule desired, such as interleukins, such as IL-1, IL-2, IL-6, and IL-8 and/or TNF. The column has a compound or carrier immobilized on the adsorbent material that is selective for removing the cytokine receptor molecule desired. With respect to inducing an immune response against diseased tissue, providing treatment using the device of Nakatani et al. would reduce the amount of a diseased tissue in the patient.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 18 & 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakatani et al. ('898) in view of Bohm et al. 5,817,528 (IDS). Nakatani et al. discloses the invention substantially as claimed, see rejection supra, however, fails to disclose specifically that the column has a compound or carrier immobilized on the adsorbent material that is an antibody or antibody fragments. Bohm et al. disclose a sterile pyrogen-free column having coupled protein for binding and removing substances from blood. The preferred proteins are disclosed to be antibodies, such as monoclonal antibodies using human IgG as the antigen (col. 4-col. 5). The column is disclosed as a

Art Unit: 3762

module having a matrix material to which proteins can be coupled. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the column of Nakatani et al. and choose a column having antibodies, such as monoclonal antibodies using human IGs as the antigen as taught by Bohm et al., since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia M Bianco whose telephone number is (571) 272-4940. The examiner can normally be reached on Monday to Friday 9:00-6:30, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3762

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 18, 2005

Patricia M Bianco
Primary Examiner
Art Unit 3762


PATRICIA BIANCO
PRIMARY EXAMINER